2019

BRAZZEN

LIVESTOCK EQUIPMENT

"Built tough to take the hard bumps of the serious rancher."

www.brazzen.com

Contact & Sales

HEAD OFFICE

Tel (435) 901-5404

470 West 220 South, Suite 103
Pleasant Grove, UT 84062

cam@brazzen.com

www.brazzen.com

BRAZZEN

Product Index

Cattle ____ 2-10

- Head Bale ____ 2
- Hobby Chute ____ 2
- Sliding Gate ____ 2
- Premium Chute ____ 3
- Bud Box Yard ____ 4
- Scales ____ 4
- Panels ____ 5
- Alley Bows ____ 6
- Driveway Gates ____ 7
- Cattle Gates ____ 8-9
- Blind Sweep Yard ____ 10

Sheep ____ 11-12

- V 3 Way Draft ____ 11
- Alley Bow ____ 11
- Panels ____ 11
- Gates ____ 12

Horses ____ 13-15

- Shelters ____ 13
- Panels & Gates ____ 14-15

Feeders ____ 16-17

- Round Bale Feeders ____ 16
- Square Bale Feeders ____ 16
- Line Feeders ____ 16
- Diagonal Feeder ____ 17
- Cradle Feeder ____ 17
- Sheep Trolley Feeder ____ 17

Head Bale

- Ideal for use with two cattle panels and a sliding gate to create a budget chute
- Main frame made by 2" x 2" square tubing
- Diamond shaped design stops the animals head from lifting up and down when caught on the head bale

		Length	Depth	Height	Weight
Head Bale	**CHB**	2'9"	9"	6'11"	238lb

Hobby Chute

- Ideal for the hobby rancher
- Simple construction
- Portable
- Easy operating sliding gate
- Anti-Bruise oval rail panels

Kit Includes:

- 1x Cattle Head Bale
- 2x Cattle Panels
- 1x Cattle Sliding Gate



		Length	Depth	Height	Weight
Hobby Crush	**CCH**	8'	2'9"	7'6"	573lb

Sliding Cattle Gate

- Ideal for use with two cattle panels and a head bale to create a budget chute
- Easy operation with roller sliding

STANDARD SLIDING GATE

Suggestion for use:
1x Sliding Gate
1x Head Bale
2x Standard Panels

		Length	Depth	Height	Weight
Sliding Cattle Gate	**CGSS**	2'9"	8"	6'6"	180lb

Premium Cattle Squeeze Chute

- Walk through vet section
- Baulk gate
- Kick latch
- Rump squeeze
- New design allows safer access to rear of animal
- Triple top gates allowing full access along animal
- Double lower doors on each side for hoof access
- Sheeted sliding gate
- Long ratchet rump bar mechanism
- Auto lock rear sliding gate
- Supplied in Flat Pack





	Length	Depth	Height	Weight
Premium Chute **CCPSFP**	11′	2′10″	7′6″	1920lb

Bud Box Yard

- Designed to improve speed of stock flow



		Length	Width	Height	Weight
Bud Box	**CBBY-6**	20'8"	15'11"	7'2"	2030lb

Cattle Scales

- Weight Capacity: 6613.87lb
- With OIML and CE approved KELI load cells
- Mild-steel Structure, Ushape by modules, powder coated
- YAOHUA A12E indicator
- Junction box and 16' cable
- 0.5cm checker plate



		Length	Width	Weight
Cattle Scales	**CS**	6'3"	2'4"	199lb

Cattle Panels

Premium 5 Rail Panel

This strong heavy duty panel, is equipped with:

- **4.52" x 1.65"**
- **2 SHS 2" x 2" posts**
- **4 easy to connect lugs**
- **2 holes for ground pins**

All panels can be pre-ordered in Hot Dip Galvanized (HDG) after welding.

- Panels can be used for cattle and horses

Cattle Walk Way Gate Kit is designed to assist with maximum access to the cattle while they are in the alley, therefore giving you safe access above the cattle.

Cattle Walkway Gate Kit **CRWW**



PREMIUM OVAL 5 RAIL PANEL



12' PANEL WITH LOOP FEET STANDARD OVAL 5 RAILS, ROUND END POSTS

		Uprights	Rails	Height	Length	Weight
Premium 5 Rail Panel 5.0	**CPP5/5.11-5**	2"x2"	5	6'	5'	79lb
Premium 5 Rail Panel 6.0	**CPP6/5.11-5**	2"x2"	5	6'	6'	97lb
Premium 5 Rail Panel 8.0	**CPP8/5.11-5**	2"x2"	5	6'	8'	132lb
Premium 5 Rail Panel 12	**CPP12/5.11-5**	2"x2"	5	6'	12'	152lb
12' Panel with Loop Feet Standard 5 Rails	**CPLF12**	Round pipe 1 3/4"	5	5'4"	12'	94lb

		Rails	Height	Length	Weight
Standard 5 Rail Panel 5.0	**CPS5/5.2-5**	5	5'2"	5'	57lb
Standard 5 Rail Panel 6.0	**CPS6/5.2-5**	5	5'2"	6'	66lb
Standard 5 Rail Panel 8.0	**CPS8/5.2-5**	5	5'2"	8'	90lb
Standard 5 Rail Panel with Strap 12	**CPS12/5.2-5**	5	5'2"	12'	108lb

ONLY THE 12' LONG PANEL HAS STRAP
STANDARD OVAL 5 RAIL PANEL, SQUARE END POSTS

Cattle Alley Bow

- Assists with maintaining a sturdy alley

		Length	Depth	Height	Weight
Cattle Alley Bow	**CRB**	2′9″	2″	6′10″	40lb

Double Alley Bow

- Assists with maintaining a sturdy alley
- Creates a safe work area

		Length	Depth	Height	Weight
Double Alley Bow	**CRBD**	7′	2″	8′8″	66lb

Adjustable Cattle Bow

- Reduces turning in the alley depending on size of animal
- Assists with maintaining a sturdy alley

		Length	Depth	Height	Weight
Adjustable Cattle Bow	**CRBA**	2′9″	2″	6′10″	88lb

5 Rail Driveway Gates

- End posts are square 2 inches x 2 inches and 14 gauge
- Made from our premium oval rails 4½ inches x 2 inches and 16 gauge, each rail almost has a 5 inch face on them
- Total 5 rails and with vertical strengthening straps to ensure this gate will never bend or break, they all come with 4 long bolt through L hinges to carry the weight



		Length	Height	Rails	Weight
Driveway Gate 8.0	**DGP8/4.2-5**	8′	4′2″	5	109lb
Driveway Gate 10	**DGP10/4.2-5**	10′	4′2″	5	131lb
Driveway Gate 12	**DGP12/4.2-5**	12′	4′2″	5	160lb
Driveway Gate 14	**DGP14/4.2-5**	14′	4′2″	5	182lb
Driveway Gate 16	**DGP16/4.2-5**	16′	4′2″	5	204lb

6 Rail Driveway Gates

		Length	Height	Rails	Weight
Driveway Gate 8.0	**DGP8/5.1-6**	8′	5′1″	6	130lb
Driveway Gate 10	**DGP10/5.1-6**	10′	5′1″	6	157lb
Driveway Gate 12	**DGP12/5.1-6**	12′	5′1″	6	190lb
Driveway Gate 14	**DGP14/5.1-6**	14′	5′1″	6	216lb
Driveway Gate 16	**DGP16/5.1-6**	16′	5′1″	6	241lb

Premium Heavy Duty 5 Rail Gate

- Frame made by 2.76" x 2" HDG tube at 14GA
- Inside post made by 2" x 2" HDG tube at 16GA
- 5 Rails made by 4.52" X 1.65" 16GA oval pregal tube
- Comes with slam lock and chain lock system
- Lugs provided for connect



ONLY THE 12'5" GATE COMES WITH DIAGONAL BRACE

		Length	Height	Weight
Premium 5 Rail Gate 6.0	**CGP6/10-5**	6'	10'	202lb
Premium 5 Rail Gate 12.5	**CGP12.5/10-5**	12'5"	10'	289lb

12' Combination Gate/Panel with Loop Feet

- 6' Panel and 6' Gate, Making 12' Wide
- Panel is 5'4" High, Gate is Adjustable 10ft Tall
- 2 Side Posts 1 3/4" Round Tubing
- 5 Rails Made by 2.4" x 1.2" Oval Tube

		Length	Panel Height	Gate Height	Weight
Combination Gate/Panel Loop Feet	**CP/GLF12**	12'	5'4"	10'	139lb

Man Panel Gate

- Designed for easy access between yards
- Fast exit from yards

		Rails	Length	Height	Weight
Premium Man Gate-4 Rail	**CGMP2.1- 4**	4	7'4"	5'11"	114lb
Premium Man Gate-5 Rail	**CGMP2.1-5**	5	7'4"	5'11"	118lb

Access Gate

- Ideal for use in workers alley, or access to yards
- Comes with both chain & slam latch
- Handy lugs for ground pinning

		Rails	Length	Height	Weight
Premium Access Gate - 4 rail	**CGAS - 4**	4	4'6"	7'2"	111lb
Premium Access Gate - 5 rail	**CGAS-5**	5	4'6"	7'2"	118lb

Blind Sweep Yard

- The Sweep Yard allows the handler to push cattle into the alley system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behavior of how cattle run and tend to circle back to where they came from



50-60 Sweep Yard

		Length	Depth	Height	Weight
Blind Sweep Yard	**CFYB**	20'8"	10'4"	7'3"	1088lb

Sheep V 3 Way Draft

- Manufactured from Galvanized Steel
- Fully Sheeted
- The 'v' profile minimizes the chance of small stock turning around in the alley
- Alley has a fully sheeted outer arc (prevents legs and heads from getting out, and improves stock flow)
- Alley is made without overhead bracing This eliminates the danger of an operator getting his arm caught between the yard and beast

		Length	Depth	Height	Weight
Sheep V	**SRA**	11'2"	1'9"	3'10"	485lb

Sheep Alley Bow

		Width	Height	Weight
Sheep Alley Bow	**SRBB**	1'10"	3'3"	23lb

Premium Sheep Panels

- Manufactured from Galvanized Steel
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Panels can be used in permanent or portable applications

		Length	Height	Weight
Premium Sheep Panel 2.0	**SPP6.6-6**	6'6"	3'3"	59lb
Premium Sheep Panel 3.0	**SPP9.10-6**	9'10"	3'3"	84lb

Premium Sheep Gate

- Manufactured from Galvanized Steel

		Length	Height	Weight
Premium Sheep Gate 2.0	**SGP6.6-6**	6’6”	3’5”	110lb
Premium Sheep Gate 3.0	**SGP9.10-6**	9’10”	3’5”	141lb

Sheep Slide Gate

- Manufactured from Galvaized Steel
- Sliding gates come supplied as conventional push in types, or as push out type

		Length	Height	Weight
Sheep Slide Gate	**SGS**	2’6”	3’9”	75lb

Horse Stall

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack, with modular funtion
- Handy lugs on the front so you can attach a gate/s.

		Width	Depth	Height	Weight
Horse Stall	**HS12/12**	12′	12′	10′	1853lb

Loafer Shelter

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach a gate/s.

		Width	Depth	Height	Weight
Loafer Shed	**HS3/3**	9′10″	9′10″	7′6″	1302lb



Premium 4 Rail Panels

- Panels can be used for horses and cattle

		Uprights	Rails	Height	Length	Weight
Premium 4 Rail Panel 5.0	**CPP5/5.2-4**	2″x2″	4	5′2″	5′	68lb
Premium 4 Rail Panel 6.0	**CPP6/5.2-4**	2″x2″	4	5′2″	6′	84lb
Premium 4 Rail Panel 8.0	**CPP8/5.2-4**	2″x2″	4	5′2″	8′	110lb
Premium 4 Rail Panel 12	**CPP12/5.2-4**	2″x2″	4	5′2″	12′	126lb

Premium Heavy Duty 4 Rail Gate



ONLY THE 12′5″ GATE COMES WITH DIAGONAL BRACE

		Length	Height	Weight
Premium 4 Rail Gate 6.0	**CGP6/10-4**	6′	10′	190lb
Premium 4 Rail Gate 12.5	**CGP12.5/10-4**	12′5″	10′	267lb

Budget Horse Panels

Round Yard Diameter Specifications (Approx.)

33ft	13 panels plus 1 gate = 14 Units
39ft	15 panels plus 1 gate = 16 Units
43ft	17 panels plus 1 gate = 18 Units
46ft	19 panels plus 1 gate = 20 Units
51ft	21 panels plus 1 gate = 22 Units
55ft	23 panels plus 1 gate = 24 Units
59ft	25 panels plus 1 gate = 26 Units
66ft	27 panels plus 1 gate = 28 Units

		Rails	Length	Height	Weight
Horse Panel	**HP2.1**	5	7′3″	5′5″	52lb

Adjustable Top Horse Gate

- 5 rails made by 2.36"x1.18" pregal oval tube at 16GA
- 2 posts made by 1.57" x 1.57" pregal gal tube at 16GA
- Frame made by 2" x 2" hot dip gal tube at 14GA
- Cleat and pins provided for connecting , Chain lock provided

		Length	Height	Weight
Adjustable Top Horse Gate	**HGA**	7′3″	9′9″	141lb

Horse Float Panels

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 6′6″ x 6′6″ holding pen

		Height	Width Folded	Width Flat	Weight
Horse Float Panel	**HFP2.0**	4′1″	6′7″	13′2″	31lb

FEEDERS

Round Bale Feeders

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 3 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding

		Diameter	Height	Weight
Round Bale Feeder-Straight Bar	**FRS-US**	7′	4′3″	188lb
Round Bale Feeder-Angled Bar	**FRA-US**	7′	4′3″	188lb

Square Bale Feeders

- Modular type, can be bolted into single/double ones
- Holds 2x6 ft round bales
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding

		Width	Length	Height	Weight
Square Bale Feeder-Straight Bar	**FSS-US**	5′	9′	4′3″	353lb
Square Bale Feeder-Angled Bar	**FSA-US**	5′	9′	4′3″	353lb

Line Feeders

		Width	Length	Height
Line Feeder 5.0	**FL-5**	5′	5′	4′3″
Line Feeder 9.0	**FL-9**	5′	9′	4′3″
Line Feeder 18	**FL-18**	5′	18′	4′3″

Diagonal Feeder

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from hot dipped galvanized pipe

	Width	Length	Height	Weight
Diagonal Feeder **FD18**	5′	18′	4′3″	596lb

Cradle Feeder

	Width	Length	Height	Weight
Cradle Feeder **FSC**	4′11″	9′6″	3′6″	282lb

Sheep Trolley Feeder

- Ideal to keep the weather off stock-feed
- Reduces waste
- Supplied with 4x10″ wheels x 1″ bore with rubber tyre with 2′7½″ wide lid c/w protex fastening and lid catch
- Double sided 3″x 3″ hay-rack

	Width	Depth	Height	Weight
Sheep Trolley Feeder SFT	4′2″	1′11″	2′3″	115lb

BRAZZEN

LIVESTOCK EQUIPMENT

DESIGNED & TESTED BY
RANCHERS WORLDWIDE

Contact & Sales

HEAD OFFICE

Tel (435) 901-5404

470 West 220 South, Suite 103
Pleasant Grove, UT 84062

www.brazzen.com
cam@brazzen.com